



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/521,387	01/14/2005	Reiner Luttmann	SARTORIUS-12	2344
1218	7590	10/13/2010	EXAMINER	
HESPOS & PORCO LLP			HOBBS, MICHAEL L	
110 West 40th Street			ART UNIT	
Suite 2501			PAPER NUMBER	
NEW YORK, NY 10018			1775	
			MAIL DATE	DELIVERY MODE
			10/13/2010	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/521,387

**Applicant(s)**

LUTTMANN ET AL.

**Examiner**

MICHAEL HOBBS

**Art Unit**

1775

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 28 July 2010.  
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-19 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-19 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☒ The drawing(s) filed on 04 March 2008 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☒ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☐ Information Disclosure Statement(s) (PTO/SI.08)  
4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date: \_\_\_\_\_  
5) ☐ Notice of Informal Patent Application  
6) ☐ Other: \_\_\_\_\_  
Paper No(s)/Mail Date: \_\_\_\_\_

**DETAILED ACTION**

1. Applicant's amendment and remarks submitted on 07/1/2010 has been considered by the examiner and entered for the record.

***Continued Examination Under 37 CFR 1.114***

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 07/1/2010 has been entered.

***Priority***

3. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

7. Claims 1-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cornelissen et al. (CAB8-Compuer Application in Biotechnology, June 25-27, 2001) in views of Major et al. (*Biotechnology and Bioengineering*, vol. 34, pp 592-599, 1989) and Gruenberg et al. (US 2002/0138454 A1) and in further views of Lucido et al. (US 6,402,941) and Bartok et al. (US 6,599,735 B1).

8. Cornelissen teaches an integrated bioprocess for the production of recombinant proteins by cultivating *Pichia Pastoris*. For claim 1, Cornelissen discloses using a device that includes bioreactor that cultivates cells which is connected to an upstream

feed receptacle or glycerol feed (Fig. 3) and to a downstream cross-filtration or micro filtration unit (Fig. 3, page 1 section 2 paragraph 5). The micro-filtration unit is has a retentate line connected to the bioreactor and a permeate line which connects to a product harvest vessel (Fig. 3). The process is monitored by various sensors which report back to a control unit (Fig. 4) where these sensors consist of  $pO_2$  control, an off gas analysis and the use of an HPLC to determine glycerol level in the reactor (section 7 page 6 paragraph 2). Furthermore, this control is analyzer (Fig. 3) which is connected to an agitator control, but not to a pump. Also, Cornelissen does not teach a second harvest vessel connected directly to the bioreactor.

9. Major discloses a continuous fermenter for lactate production by *Lactobacillus delbreuckii* with partial cell recycle using a hollow-fiber ultra-filtration cartridge. For claim 1, Major discloses withdrawing a whole-cell culture from the fermenter by a peristaltic pump that is upstream of a waste receiver or second harvest vessel (Fig. 1; page 594 second paragraph). It would be obvious to one of ordinary skill in the art to employ the step of using a waste receiver as suggested by Major in order to remove whole cells from the reactor of Cornelissen. The suggestion for doing so at the time would have been in order to maintain a constant volume in the fermenter (page 594 first paragraph lines 7-9). Major is silent regarding the analyzer being connected to the pump.

10. Gruenberg discloses a method of optimizing a bioprocess involving complex nutrient mixtures where there are several upstream reservoirs supplying culture medium to a bioreactor. For claim 1, Gruenberg discloses the step where the product is

harvested into a vessel where the control to the pump is connected to a process computer via a RS-232 connection (Fig. 1). While not specifying that the motor is connected to an analyzer, the control unit (Fig. 1) is connected to the process computer and would indicate changes within the bioreactor that would initiate the pump to withdraw product from the bioreactor. Therefore, it would have been obvious to one of ordinary skill in the art to employ the process computer controlled pump as suggested by Gruenberg to withdraw whole cells from the fermenter of Cornelissen and Major in order to harvest the whole cells.

11. Both Cornelissen and Gruenberg disclose the step of having a sensor such as a dissolved oxygen sensor connected to an analyzer or control unit where, in the case of Gruenberg, the control unit is connected to and controls the motor on the pump (Fig. 1 of Gruenberg). Furthermore, Cornelissen and Gruenberg disclose sensors that measure the metabolites of the cell culture, which are indirect measures of the cell concentration; they do not disclose the step of actually measuring the cell concentration within the bioreactor. The combined references of Cornelissen, Major and Gruenberg are silent regarding a cell concentration measurement step.

12. Lucido discloses an apparatus for the biological treatment of environmental contaminants and waste where the cell concentration of the microorganisms is determined by the turbidity of the solution. For claim 1, Lucido discloses the step of using an optical density sensor (sensor 22) to detect the turbidity of the solution where a higher turbidity reading in the bioreactor indicates a higher viable cell concentration (col. 6 lines 30-33). Lucido demonstrates another method used to monitor the extent of cell

cultivation within a bioreactor using optical detectors instead of the metabolite sensors of Cornelissen and Gruenberg. Furthermore, the combined references demonstrate a need to monitor and control the cultivation within a bioreactor where the control means range from the metabolite sensors of Cornelissen and Gruenberg, the volumetric control of Major to the optical sensor of Lucido. The three methods perform the same task of monitoring the conditions within the bioreactor. Furthermore, these represent a finite number of methods for monitoring the conditions within the bioreactor and would have been known to one of ordinary skill in the art at the time of the invention. Therefore, following rationale E of *KSR*, 550 U.S. at \_\_\_\_, 82 USPQ2d at 1397, it would have been obvious to one of ordinary skill in the art to employ the step of using the optical sensor of Lucido within the control unit of Cornelissen, Major and Gruenberg in order to monitor the growth of cells within the bioreactor.

13. With regards to the step of using a second regulator for operating an upstream feed pump, Cornelissen discloses using a weigh control that receives a weight value,  $V_L$ , from a scale (Fig. 3) and compares this value with a reference value,  $V_{LW}$ , that is inputted into the weight control regulator (Fig. 3, page 3 section 4 paragraph 6). However, Cornelissen is silent regarding the step of having this regulator connected to a feed pump instead of a harvest pump. Major, Gruenberg and Lucido are silent regarding a second regulator controlling a feed pump.

14. Bartok discloses a continuous fermentation system that includes the step of using a fermentation vessel (vessel 1) and includes upstream vessels (vessels 2) that are used to store the nutrient solutions for the fermentation process. Further, the

system includes two regulators or control systems (computer 7 and control unit 11) that monitor and steer the entire process. For claim 1, Bartok discloses using a control unit (unit 11) which is being broadly interpreted second regulator that monitors the process parameters from a control system (system 17) and further operates upstream feed pumps (pumps 3) in order to modify or control the dilution rate or pH of the system. The control unit (unit 11) is also connected to a scale (scale 4) that weighs the fermentation vessel (Fig. 1; col. 4 lines 43-61). Therefore, it would be obvious for one of ordinary skill in the art to employ the method of using the controller to operate an upstream feed pump suggested by Bartok within Cornelissen, Major, Gruenberg and Lucido in order to control the weight within the fermentation vessel.

15. Regarding the newly added limitation for claim 1 where the method includes a filtration steps for conveying product from the bioreactor, this step is part of the applied reference of Cornelissen since it sends the product from the bioreactor to a microfiltration or cross-flow filter and where the retentate is re-supplied back to the bioreactor (see Fig. 3). With regards to the second harvest vessel, this is disclosed by the applied reference of Major and has already been addressed.

16. With regards to claim 2, Cornelissen is silent regarding *in situ* sterilization of the process. For claim 2, Major discloses the step of sterilizing the hollow-fiber tube using and associated tube work with a sodium hypochlorite solution before each fermentation run (page 594 paragraph 2 lines 1-3). This step of sterilizing the filter and tubes is being interpreted as an *in situ* sterilization. Furthermore, one of ordinary skill in the art would recognize the benefits of sterilizing the filter and tubes ahead of time and flushing the



lines in the manner described above in order to prevent cross-contamination between the batches. Furthermore, the sterilization step of Major solves the problem of sterilizing the equipment used in the fermentation process without having to disassemble the entire apparatus between different fermentation runs. Therefore, following rationale A of *KSR*, 550, U.S. at \_\_\_\_, USPQ2d at 1396, it would have been obvious to one of ordinary skill in the art to employ the sterilization step as suggested by Major in order to sterilize and prepare the filter and bioreactor of Cornelissen in order not to contaminate the cell culture.

17. However, Cornelissen and Major are silent regarding this process being controlled by a computer or controller.

18. Gruenberg discloses a process computer that controls the operation of the fermentation process, but does not mention using the processor to control the sterilization process of the bioreactor. Moreover, the steps of using the process computer to send a signal to operate a second harvest pump, barring any alleged evidence to the contrary, would be within the skills of one of ordinary skill in the art based on the combined teachings of Cornelissen, Major and Gruenberg. Therefore, it would be obvious to one of ordinary skill in the art to modify the sterilization process of Cornelissen and Major with the process computer of Gruenberg in order to automate the sterilization process so that it may be conducted *in situ*.

19. For claim 3, Cornelissen teaches the step where the **valuable product** is recombinant proteins (Abstract). For claim 4, Cornelissen does not specify that the process is conducted in a sequential and integrated manner, but does imply that the

process steps happen in a specific sequence. Referring to Figure 1 of the OA, each phase of production leads to another phase which strongly implies that the production of recombinant DNA as taught by Cornelissen is sequential. Further, the automation of this process as shown in Figure 4 of Cornelissen shows that each part of the process is integrated or coupled and are part of the whole process (page 6 section 8 paragraph 1). Regarding the method of producing biotechnologically valuable products as in claim 5, Cornelissen teaches that the cells adapt to the medium and that the cells are propagated at a constant growth rate,  $\mu$ , for the batch phase (page 3 sections 3 and 4, Fig. 2) and for claim 6 Cornelissen teaches the step of using an induction substance such as methanol during the production phase (page. 3 section 3 paragraph3) . For claim 7, Cornelissen teaches the step of using a flow diffusion analysis (FDA) to regulate a second feed receptacle (page 3 section 4, Fig. 3). With regards to claim 8, Cornelissen teaches that the product is harvested from the bioreactor by using a cross-flow filtration step (page 1 section 2 paragraph 5), but does not specify that the product is harvested cell-free. However, since the cross-flow filtration step filters out the recombinant DNA produced within the bioreactor, it is an intrinsic property of the product that it would be cell-free.

20. With regards to claim 9, Cornelissen teaches that the cell harvesting and media refreshing phase happen in parallel, but does not specifically teach that the retentate is harvested and that this step is followed by a medium refreshing phase. For claim 9, Major discloses the step of harvesting the whole cell mass or retentate from the bioreactor as discussed above and further includes the step of controlling the dilution

rate and recycle ration by two peristaltic pumps which is being interpreted as the medium replenishing step (page 594 paragraph 1 lines 12-16). It would be obvious to one of ordinary skill in the art to employ the step of refreshing the culture medium as suggested by Major in the cultivation process of Cornelissen. The suggestion for doing so at the time would have been in order to maintain a constant volume in the fermenter (page 594 first paragraph lines 7-9).

21. For claim 10, Cornelissen teaches the step of sending the retentate back into the bioreactor (Fig. 3) and sending the permeate from the filter to the product harvest vessel (Fig. 3).

22. Regarding claim 11, Cornelissen teaches the step where the yeast used to produce the **recombinant DNA** is *Pichia pastoris* (Abstract) and for claim 12, Cornelissen teaches the step where the inducing substance is methanol (page 3 section 4, Fig. 1 & Fig. 3). Regarding claims 13 and 14, Cornelissen teaches maintaining the methanol level at a constant level and that glycerol is fed to the bioreactor (page 3 sections 3 & 4, Fig. 3).

23. For claim 15, Cornelissen does not specify that the process is conducted in a continuous and integrated manner, but does imply that the process is continuous and integrated. Referring to Figure 1 of the OA, each phase of production leads to another phase which strongly implies that the production of recombinant DNA as taught by Cornelissen is continuous. Further, the automation of this process as shown in Figure 4 of Cornelissen shows that each part of the process is integrated or coupled with every step and device of the larger process (page 6 section 8 paragraph 1).

24. For claim 16, the fresh media refill and cell harvesting are carried out in parallel (page 3 section 4 paragraph 6).




Fig. 2: Process course for automated production of recombinant proteins

Figure 1: Automated production of recombinant proteins (Cornelissen et al.)

25. Claims 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cornelissen et al. (CAB8-Compuer Application in Biotechnology, June 25-27, 2001) in views of Major et al. (*Biotechnology and Bioengineering*, vol. 34, pp 592-599, 1989) and Gruenberg et al. (US 2002/0138454 A1) and in further view of and Bartok et al. (US 6,599,735 B1).

26. Cornelissen teaches an integrated bioprocess for the production of recombinant proteins by cultivating *Pichia Pastoris*. For claim 17, Cornelissen teaches a device that

includes bioreactor that cultivates cells which is connected to an upstream feed receptacle or glycerol feed (Fig. 3) and to a downstream cross-filtration or micro filtration unit (Fig. 3, page 1 section 2 paragraph 5). The micro-filtration unit is has a retentate line connected to the bioreactor and a permeate line which connects to a product harvest vessel (Fig. 3). The process is monitored by various sensors which report back to a control unit (Fig. 4) where these sensors consist of pO<sub>2</sub> control, an off gas analysis and the use of an HPLC to determine glycerol level in the reactor (section 7 page 6 paragraph 2). Furthermore, this control is analyzer (Fig. 3) which is connected to an agitator control, but not to a pump. Also, Cornelissen does not teach a second harvest vessel connected directly to the bioreactor.

27. Major discloses a continuous fermenter for lactate production by *Lactobacillus delbreuckii* with partial cell recycle using a hollow-fiber ultra-filtration cartridge. For claim 17, Major discloses withdrawing a whole-cell culture from the fermenter by a peristaltic pump that is upstream of a waste receiver or second harvest vessel (Fig. 1; page 594 second paragraph). This would be obvious to one of ordinary skill in the art to employ the waste receiver as suggested by Major in order to remove whole cells from the reactor of Cornelissen. The suggestion for doing so at the time would have been in order to maintain a constant volume in the fermenter (page 594 second paragraph). Major is silent regarding the analyzer being connected to the pump.

28. Gruenberg discloses a method of optimizing a bioprocess involving complex nutrient mixtures where there are several upstream reservoirs supplying culture medium to a bioreactor. For claim 17, Gruenberg discloses that the product is harvested into a

vessel where the control to the pump is connected to a process computer via a RS-232 connection (Fig. 1). While not specifying that the motor is connected to an analyzer, the control unit (Fig. 1) is connected to the process computer and would indicate changes within the bioreactor that would initiate the pump to withdraw product from the bioreactor. Therefore, it would have been obvious to one of ordinary skill in the art to employ the process computer controlled pump as suggested by Gruenberg to withdraw whole cells from the fermenter of Cornelissen and Major for harvest.

29. Finally, it should be noted that the limitation where the harvest pump (pump 20 of the instant application) is "operable to move said concentrated retentate" is drawn to the intended use of the apparatus and does not provide a structural limitation over the prior art (see MPEP 2114).

30. With regards to the second regulator for operating an upstream feed pump, Cornelissen discloses using a weigh control that receives a weight value,  $V_L$ , from a scale (Fig. 3) and compares this value with a reference value,  $V_{LW}$ , that is inputted into the weight control regulator (Fig. 3, page 3 section 4 paragraph 6). However, Cornelissen is silent regarding the regulator being connected to a feed pump instead of a harvest pump. Major and Gruenberg are silent regarding a second regulator controlling a feed pump.

31. Bartok discloses a continuous fermentation system that includes the step of using a fermentation vessel (vessel 1) and includes upstream vessels (vessels 2) that are used to store the nutrient solutions for the fermentation process. Further, the system includes two regulators or control systems (computer 7 and control unit 11) that

monitor and steer the entire process. For claim 17, Bartok discloses using a control unit (unit 11) or second regulator that monitors the process parameters from a control system (system 17) and further operates upstream feed pumps (pumps 3) in order to modify or control the dilution rate or pH of the system. The control unit (unit 11) is also connected to a scale (scale 4) that weighs the fermentation vessel (Fig. 1; col. 4 lines 43-61). Therefore, it would be obvious for one of ordinary skill in the art to employ the controller to operate an upstream feed pump as suggested by Bartok within Cornelissen, Major, Gruenberg and Lucido in order to control the weight within the fermentation vessel.

32. For claim 18, Cornelissen further teaches that the concentration of methanol is controlled by a feed pump that is connected to a control device (Fig. 3, page 3 section 4 paragraph 5) and for claim 19 the control device is a flow diffusion analysis (FDA) system (Fig. 3).

### ***Response to Arguments***

33. Applicant's arguments filed 07/1/2010 have been fully considered but they are not persuasive.

34. Starting in the second paragraph on page 9, applicant argues that the modification of Cornelissen would lead the skilled artisan away from Major since the skilled artisan would be discouraged from the combination. This is not found persuasive since there is no specific teaching within Cornelissen discouraging or teaching away from this reference and while the reference does a continuous filtration of the harvested

product, Major also does this same process (see Fig. 1 of Major). Therefore, the references are analogous and drawn to similar processes. Furthermore, there is no suggestion that removing the whole cell culture as disclosed by Major would render the Cornelissen inoperative. Applicant further argues on the top of page 10 that the combination discourages or teaches away from the combination. The examiner disagrees with this characterization of the references and the reason to combine was provided in the previous action.

35. In response to applicant's argument in the first full paragraph on page 10 that the skilled artisan would be discouraged from combining the references, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).

36. In the second paragraph on page 11, applicant argues that the applied reference of Cornelissen is not analogous art to the recitation of claim 1 since the reference does not disclose a balance connected to an analyzer in order to control an upstream feed pump. In response to applicant's argument that the Cornelissen reference is nonanalogous art, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem



with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, the applied reference discloses the steps where an upstream feed pump is connected to a regulator and the reference is in the same field of endeavor as the instant application.

37. Starting on the last paragraph of page 11 and continuing to the second paragraph of page 12, applicant argues that the applied reference of Gruenberg does not disclose the first and second regulators, the analyzer, the control unit, the analytical system nor the cell concentration sensor. The applicant further argues that the relevant teachings have been extrapolated from the reference and that the balances are not connected to a second analyzer. The examiner disagrees with this characterization of the reference as all the upstream pumps and balances are connected to a analyzer or process computer (see Fig. 1 of Gruenberg).

38. Regarding applicant's arguments with the applied reference of Lucido starting on the bottom of page 12 and continuing to the bottom of page 13, applicant argues that reference does not a) render every recited element obvious in claim 1, b) that the turbidity sensor is not connected to a computer and does not test for cell concentration and c) the applied reference is non-analogous art.

39. In response to applicant's argument that Lucido does not disclose all the elements of claim 1, the test for obviousness is not whether the features of a secondary

reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981). Here, Lucido was used to correct the deficiency of the cell concentration sensor as a turbidity sensor can determine the concentration of cells within the bioreactor. Moreover, both Cornelisson and Gruenberg disclose sensors connected to a bioreactor and it would be a matter of simple substitution for the skilled artisan to use the turbidity sensor of Lucido in place of the sensors of Cornelisson and Gruenberg.

40. In response to applicant's argument that the Lucido reference is nonanalogous art, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, Lucido discloses using a turbidity sensor to monitor the growth of cells within the interior of a bioreactor and is analogous in the sense that using a sensor, such as this, to monitor the growth of bacteria to process waste is the same as monitoring cell growth in a bioreactor. In both cases, this sensor is used to monitor and control a process and the skilled artisan would have found it obvious to monitor the process of Cornelisson, Major and Gruenberg with the sensor of Lucido barring any evidence to the contrary.

41. With regards to applicant's statement that this rejection is based on conjecture, speculation and the assumption of undisclosed elements of multiple unrelated references as an improper grounds of rejection, this is merely attorney argument and not the kind of factual evidence that is required to rebut a prima facie case of obviousness.

42. In the second paragraph on page 14, applicant argues that the only way to achieve the claimed invention with the combination of Cornelissen, Major, Gruenberg, Lucido and Bartok is through impermissible hindsight. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

43. With regards to applicant's arguments regarding the rejection of claim 17 starting in the last paragraph on page 14 and continuing to the top of page 15, this argument is re-iterating the arguments applied to the rejection of claim 1 and have already been addressed.

***Conclusion***

44. No claims are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL HOBBS whose telephone number is (571)270-3724. The examiner can normally be reached on Monday-Thursday 7:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Marcheschi can be reached on (571) 272-1374. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. H./  
Examiner, Art Unit 1797

/Michael A Marcheschi/  
Supervisory Patent Examiner, Art  
Unit 1775